

10/622848

02/13/2007 16:44 FAX 612 573 2005

DICKE, BILLIG & CZAJA, P.A.

001

RECEIVED
CENTRAL FAX CENTER

FEB 13 2007

Certificate

FEB 22 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Norman Oberski et al.

Docket No.: A126.113.102

Patent No.: 7,170,075

Issued: January 30, 2007

Title: INSPECTION TOOL WITH A 3D POINT SENSOR TO DEVELOP A FOCUS
MAP

of Correction

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

We are transmitting herewith the attached:

- ☒ Transmittal Sheet containing Certificate of Mailing (1 pg.).
- ☒ Request for Certificate of Correction (2 pgs.).
- ☒ Certificate of Correction Form 77293 (1 pg.)(in duplicate).

Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate. At any time during the pendency of the application, please charge any additional fees or credit overpayment to Deposit Account No. 500471.

Customer No. 000037974

By: 
Name: Timothy A. Czaja
Reg. No.: 39649

CERTIFICATE UNDER 37 C.F.R. 1.8:

The undersigned hereby certifies that this paper or papers, as described herein, are being transmitted via facsimile to Facsimile No. (571) 273-8300 on this 13th day of February, 2007.

By: 
Name: Timothy A. Czaja

FEB 22 2007

FEB 13 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Norman Oberski et al. Docket No.: A126.113.102
Patent No.: 7,170,075 Issued: January 30, 2007
Title: INSPECTION TOOL WITH A 3D POINT SENSOR TO DEVELOP A FOCUS
MAP

REQUEST FOR CERTIFICATE OF CORRECTION

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicants hereby request an Official Certificate of Correction with respect to the above-identified Patent.

Two of the error(s) listed on the enclosed Certificate of Correction (numbering of drawing sheet and error in the specification at col. 2, ll. 59) were made by the U.S. Patent and Trademark Office, and therefore, a check is not enclosed, however, if such fees are required, the Patent Office is hereby authorized to charge Deposit Account No. 500471.

Applicants would appreciate the error(s) to be corrected and an Official Certificate of Correction be sent to Applicants' representatives at the address given below.

Any inquiry regarding this Amendment and Response should be directed to Timothy A. Czaja at Telephone No. (612) 573-2004, Facsimile No. (612) 573-2005. In addition, all correspondence should continue to be directed to the following address:

FEB 22 2007

RECEIVED
CENTRAL FAX CENTER

FEB 13 2007

Request for Certificate of Correction

Applicant: Norman L. Oberski et al.

Serial No.: 10/622,848

Filed: July 18, 2003

Docket No.: A126.113.102

Title: INSPECTION TOOL WITH A 3D POINT SENSOR TO DEVELOP A FOCUS MAP

Dicke, Billig & Czaja, PLLC
Attn: Christopher J. McLaughlin
Fifth Street Towers, Suite 2250
100 South Fifth Street
Minneapolis, MN 55402

Respectfully submitted,

Norman Oberski et al.,

By their attorneys,

DICKE, BILLIG & CZAJA, PLLC
Fifth Street Towers, Suite 2250
100 South Fifth Street
Minneapolis, MN 55402
Telephone: (612) 573-2004
Facsimile: (612) 573-2005

Date: February 13, 2007
TAC:jmcBy: [Signature]
Timothy A. Czaja
Reg. No. 39,649CERTIFICATE UNDER 37 C.F.R. 1.8:

The undersigned hereby certifies that this paper or papers, as described herein, are being transmitted via facsimile to Facsimile No. (571) 273-8300 on this 13th day of February, 2007.

By: [Signature]Name: Timothy A. Czaja

FEB 22 2007

(77293)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,170,075 **Page 1 of 1**
DATED : January 30, 2007
INVENTORS : Norman Oberski et al.

It is certified that error appears in the above-identified patent and that said Letter Patent is hereby corrected as shown below:

In the Issued Patent, the Sheet Number is not provided for the sole figure. Please insert "Sheet 1 of 1".

Column 2, line 59, delete "50xand" and insert in place thereof --50x and--.

MAILING ADDRESS OF SENDER:

DICKE, BILLIG & CZAJA, PLLC
Attn: Christopher McLaughlin
Fifth Street Towers, Suite 2250
100 South Fifth Street
Minneapolis, MN 55402

PATENT NO. 7,170,075
Docket No.: A126.113.102

No. of add'l copies @ .50 per page

FEB 22 2007